

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Instructions to OPI from School District:

	.,												
	uctions to OPI from School District:		rica Plas	SA (dalata it fr	nm OPI	's records						
☐ This bus has been sold, retired, or is no longer in service. Please delete it from ☐ Please make corrections noted below. Don't black out the error, OPI may need								ection.					
OPI County # and County Name						District Name							
	bounty " and Gounty Name					Diotri							
	17 Garfield							dan Pub					
Vehic	le I.D. # (VIN) - Entire Number		Mod	el Ye	ear	Licen	se#		Rated (Capacity	*****		
	1GDG6P1B7FV612595			198	85		A490				35		
Chas	sis Make			_	Body Mak	æ	71100	Bus Type	e: (see ? f	or defini			
	2112				•			\square A	□в	✓ C	\Box D		
\\/ha	GMC el Chair Lift Equipped?	\\/ho	ol Chair I	;f+ =	quipped?		/ard						
						_	_						
☐ Y	es 🗹 No		orward	Fa	cing	_ Aisl	e Facing 🔛 N	ot Applic	able				
Туре	of Fuel:	Is Bu	us: 🔲 [)istri	ict Owned	✓ C	ontractor Owned If co	ontractor ov	vned, con	tractor's	name	is:	
□G	as □ Diesel ☑ Other						Chown Fitz	warald					
	uc						Shawn Fitzg	geraid					
		-	. DE EU 1		INSPE		OLUMAY DATEO						
	Thia			.ED			GHWAY PATROL	_1					
	inis	inspect	ion is for:	,od	TS	t semes	ster 2nd seme	ster			Ann	royad	
Page	Items listed in the Standards	Yes	Appro No I	Veu NA	Corr	Page	Items listed in	the Standa	rds	Yes	No No	roved NA	Corr
No.*	for School Buses in Montana	1.00	,	*	0011	No.*	for School Bus			100	110	**	0011
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						
C18	Red amber signals - front					C9	Aisle						
C18	Marker lamps - front					C22	Tools - storage						
C18	Windshield				-	C24	Windows						
C24 C20	Windshield wipers Exterior mirrors					C13	Warning device	oor					
C20	Battery					C12	Buzzer emergency do Emergency door	JUI					
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re						
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***						
C6	Speedometer					C17	Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank Tires (2/32" rear - 4/3	O" front mi	٠ ١			<u> </u>	
C7 C13	Steering gear Fire extinguisher (5 lbs)	1			+	C7	Cleanliness	2 HOHL HIII	1.)			-	1
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest r	egulation:					
C6	Heaters						Shovel (securely fast	_					
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	ed)					
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
	rst inspection, this bus is: Approved						einspection, this bus Approved	13.					
片	Not Approved						Not Approved						
	• •												
					Inspecting Patrol Officer:								
Badge		Date				Badge No Date							
Signa	ture of District Official					Date							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Jordan Public Schools** 17 Garfield Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** XXXXXXXXXXXXX2700 1989 **TNGS** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B \Box C **✓** D MCI MCI Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Shawn Fitzgerald INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	ay Patrol as soon as all defects are correct		11 20-10	7-101, 1	noa. Ai	i vernere	3 not approved on m3	t inspection must b	e remspe	cied by		
Instru	ctions to OPI from School District:										-	
	s bus has been sold, retired, or is no longe		rice. Pl	ease de	elete it fr	om OPI	's records.					
Ple	ase make corrections noted below. Don't	black ou	it the er	ror, OF	l may n	eed to re	ead it to make the corr	ection.				
OPI C	County # and County Name					Distri	ct Name					
	47 Confield						la	rdan Dublia Ca	ماممط			
Vehic	17 Garfield le I.D. # (VIN) - Entire Number		Mc	del Ye	ar	Licen		rdan Public So	d Capacity	, ****		
VCITIC	ic i.b. # (Vity) - Entire Namber		I WIC	Juci 10	ai	LICCII		Nator	σαρασιτή	′		
	XXXXT16PBAV609165			198			A489			66		
Chas	sis Make				Body Mal	ke		Bus Type: (see '	? for defin	ition)		
	GMC					W	ayne	\Box A \Box B	✓ C	\Box D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped?			•				
☐ Ye	es 🗹 No	I □ F	orwar	d Fac	ina	Aisl	e Facing ☑ N	lot Applicable				
	of Fuel:	Is Bu					ontractor Owned If co		ontractor's	name i	s.	
		100		Diotino					orni aotor c	, namo i	0.	
□G	as 🗌 Diesel 🗹 Other						Shawn Fitz	gerald				
					_	CTION						
							GHWAY PATROL					
	This	inspect			1s	st semes	ster 2nd seme	ster		۸		
Page	Items listed in the Standards	Yes	No	roved NA	Corr	Page	Items listed in	the Standards	Yes	No App	roved NA	Corr
No.*	for School Buses in Montana	103	110	**	0011	No.*	for School Bus		103	110	**	0011
C17	Identification - front					C34	Belt cutter **** attach	ned				
C18	Head lamps					C18	Interior lamps				Ļ	
C10	Color				-	C18	Ceiling - interior					
C18	Turn signal lamps - front Turn signal lamps - side (post 1987)				-	C21	Seating Floor				 	
C18	Red amber signals - front					C14	Aisle				 	
C18	Marker lamps - front					C22	Tools - storage				 	
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device					
C20	Exterior mirrors					C13	Buzzer emergency d	oor			<u> </u>	
C3	Battery				+	C12	Emergency door		_			
C4 C11	Generator or alternator Service door				+	C18	Red amber signals - Turn signal lamps - re		-		├──	
C6	Head lamp indicator				+	C18	Stop lamps	cai	+	 	 	
C6	Horn					C18	Marker lamps - rear				 	
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer					C17	Identification - rear					
C2	Brakes					C4	Exhaust system (no	eaks)			<u> </u>	
C21	Driver seat belt				1	C5 C7	Fuel tank Tires (2/32" rear - 4/3	O" front min \		-	├	
C13	Steering gear Fire extinguisher (5 lbs)				+	Ci	Cleanliness	52 110111 111111.)			╁	
C13	First aid kit					C22	Stop arm			1		
C13	Body fluids kit					C5	No trailer hitch					
C11	Defroster						Required by forest	regulation:				
C6	Heaters						Shovel (securely fast	,			Ļ	
	Wheelchair forward facing (post 1993) umber reference, Standards for School Buses in N	Aontono /	2002 E4	ition\ *:	***Due dri	voro oro r	Axe (securely fastend	,	had noorby	, drivor		
	umber reference, Standards for School Buses in Notes apply. ***New buses ordered after 08/15/02.**									anver.		
On fi	st inspection, this bus is:					On re	einspection, this bus	ie:				
	Approved						Approved	13.				
	Not Approved						Not Approved					
Inspec	eting Patrol Officer:					Inspe	cting Patrol Officer:					
Badge	No	Date										
	ure of District Official	Date				Badge No. Date						
Signa	ure or District Official					Date						



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

	ay Patrol as soon as all defects are correct		11 20-10	7-101, 1	vioa. Ai	i vernore	s not approved on ms	t inspection must b	Степторе	cica by			
Instru	ctions to OPI from School District:										-		
	s bus has been sold, retired, or is no longe		ice. Pl	ease de	elete it fr	om OPI	's records.						
Please make corrections noted below. Don't black out the error, OPI may n						need to read it to make the correction.							
OPI C	County # and County Name					Distri	ct Name						
	47.0 - 41.1						la.	ulan Dublia Ca	h l -				
Vehic	17 Garfield le I.D. # (VIN) - Entire Number		Mc	del Ye	ar	Licen		dan Public Sc	noois Capacity	, ****			
VCITIC	ic i.b. # (Vity) - Entire Namber		I W	Juci 10	ai	LICCII		Raice	Capacity	′			
	XXXXT16PBAV609345			198			B376			60			
Chas	sis Make				Body Ma	ke		Bus Type: (see ?	for defin	ition)			
	GMC					W	ayne	\square A \square B	✓ C	\Box D			
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped		•						
☐ Ye	es 🗹 No		orwar	d Fac	ina	Aisl	e Facing ☑ N	ot Applicable					
	of Fuel:	Is Bu					ontractor Owned If co		ntractor's	name i	s.		
		10 5	uo	Diotino), O III 10				onti dotor c	, namo i	0.		
□G	as 🗌 Diesel 🗹 Other						Shawn Fitz	gerald					
					_	CTION							
							GHWAY PATROL						
	This	inspect			1s	st semes	ster 2nd seme	ster		۸			
Page	Items listed in the Standards	Yes	No App	roved NA	Corr	Page	Items listed in	the Standards	Yes	No App	roved NA	Corr	
No.*	for School Buses in Montana	103	110	**	0011	No.*	for School Bus		103	110	**	0011	
C17	Identification - front					C34	Belt cutter **** attach	ied					
C18	Head lamps					C18	Interior lamps				Ļ		
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating				├──		
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C14	Floor Aisle			 	┼──		
C18	Marker lamps - front					C22	Tools - storage				+		
C18	Windshield					C24	Windows			1	 		
C24	Windshield wipers					C13	Warning device			1			
C20	Exterior mirrors					C13	Buzzer emergency d	oor					
C3	Battery					C12	Emergency door				↓		
C4	Generator or alternator					C18	Red amber signals -				↓		
C11 C6	Service door Head lamp indicator					C18	Turn signal lamps - r	ear			 		
C6	Horn					C18	Stop lamps Marker lamps - rear				\vdash		
C20	Interior mirror					C19	Strobe light - rear ***			1	+		
C6	Speedometer					C17	Identification - rear			1	 		
C2	Brakes					C4	Exhaust system (no	eaks)			1		
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.)			<u> </u>		
C13	Fire extinguisher (5 lbs)					000	Cleanliness				↓		
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch				 		
C11	Defroster Defroster					03	Required by forest	equiation:			\vdash		
C6	Heaters						Shovel (securely fast				+		
	Wheelchair forward facing (post 1993)				1		Axe (securely fastene	,		İ	†		
	umber reference, Standards for School Buses in N									driver.		•	
Does r	ot apply. ***New buses ordered after 08/15/02.**	Based	on origii	іаі сара	ıcıty iisted	on the m	anuracturers certification	tag round inside the bi	uS.				
	st inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	eting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	No	Date				Badge No Date							
Signa	ure of District Official					Date							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Jordan Public Schools** 17 Garfield Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** **XXXXT16PBAV609376** 1980 A487 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC** Wayne Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas Diesel ✓ Other Shawn Fitzgerald INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Jordan Public Schools** 17 Garfield Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDJ6P1F5GV520041 1986 A492 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Shawn Fitzgerald INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highw	Highway Patrol as soon as all defects are corrected.											
Instructions to OPI from School District:												
Thi	s bus has been sold, retired, or is no longe	r in serv	ice. Pl	ease d	elete it fr	om OPI	's records.					
☐ Ple	ase make corrections noted below. Don't	black ou	ut the er	ror, OF	PI may n	eed to re	ead it to make the corr	ection.				
OPI County # and County Name						Distri	ct Name					
	47.00-4:014						las	dan Dublia Ca	ماممط			
Vobio	le I.D. # (VIN) - Entire Number		M	odel Ye	or	Licen		dan Public So	cnools d Capacity	, ****		
venic	ie i.D. # (VIIV) - Elitile Nullibei		IVIC	ouer re	aı	Licen	Se #	Kale	и Сараспу	/		
	1FDKE30L8GHB42237			198	7		A486			21		
Chass	sis Make			Е	Body Mal	ке		Bus Type: (see	? for defin	ition)		
	Ford					_	ther	□ А 🗸 В	\Box C	\Box D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Fo	quipped?		uiei					
☐ Ye			orwar					ot Applicable				
Type	of Fuel:	Is B	us:	Distric	ct Owned	C 🗸 C	ontractor Owned If co	ontractor owned, c	ontractor's	s name	is:	
✓ G	as \square Diesel \square Other						Shawn Fitz	gerald				
					INCDE	CTION	<u> </u>	90.0.0				
		т	BE FI	LLED (GHWAY PATROL					
	This	inspect	ion is fo	r:	1s	t semes	ster 2nd seme	ster				
		·		roved						App	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in		Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus				**	
C17	Identification - front					C34	Belt cutter **** attach	ied	_		 	
C18 C10	Head lamps Color					C18	Interior lamps Ceiling - interior		+		+	
C18	Turn signal lamps - front					C21	Seating				+	
C18	Turn signal lamps - side (post 1987)					C14	Floor				+	
C18	Red amber signals - front					C9	Aisle				1	
C18	Marker lamps - front					C22	Tools - storage					
C18	Windshield					C24	Windows					
C24	Windshield wipers					C13	Warning device				<u> </u>	
C20	Exterior mirrors					C13	Buzzer emergency de	oor	_		╀	
C3 C4	Battery Generator or alternator					C12 C18	Emergency door Red amber signals -	rear	-		+	
C11	Service door					C18	Turn signal lamps - re		+		1	
C6	Head lamp indicator					C18	Stop lamps	<u> </u>			1	
C6	Horn					C18	Marker lamps - rear				1	
C20	Interior mirror					C19	Strobe light - rear ***					
C6	Speedometer						Identification - rear				<u> </u>	
C2	Brakes					C4	Exhaust system (no l	eaks)			 	
C21 C7	Driver seat belt					C5 C7	Fuel tank Tires (2/32" rear - 4/3	22" front min \	-		+	
C13	Steering gear Fire extinguisher (5 lbs)					C/	Cleanliness	52 HOHLHIII.)			+	
C13	First aid kit	†	1		†	C22	Stop arm			1	†	
C13	Body fluids kit					C5	No trailer hitch				1	
C11	Defroster						Required by forest r	regulation:				
C6	Heaters						Shovel (securely fast					
C20	Wheelchair forward facing (post 1993)	<u> </u>	(0000 = 1	ia! - \ '	<u> </u>	<u> </u>	Axe (securely fastene	,	-1		<u> </u>	1
	umber reference, Standards for School Buses in I not apply. ***New buses ordered after 08/15/02.**									driver.		
			3			1						
	st inspection, this bus is: Approved						einspection, this bus Approved	13.				
	Not Approved						Not Approved					
	eting Patrol Officer:						• •					
						Inspecting Patrol Officer:						
Badge		Date					e No		Date			
Signa	ture of District Official					Date						



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Jordan Public Schools** 17 Garfield Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GDL6P1F5JV517303 1988 A245 Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **GMC Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Shawn Fitzgerald INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501 Helena MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 17 Garfield **Van Norman Elementary** Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBL7T1JXRJ112771 1994 **B580** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D Chevrolet **Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other **FitzGerald Transportation** INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected.

Highway Patrol as soon as all defects are corrected.													
Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.													
Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction.													
OPIC	County # and County Name					Distri	ct Name						
	17 Garfield					Cohagen Elementary							
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Ye	ear	License # Rated Capacity *****							
	1GBHG31R7X1021563			199	9	105		16					
Chassis Make Body Make													
				•									
Who	Chevrolet I Chair Lift Equipped?	\/\/hc	Collins ✓ A □ B □ C □ D heel Chair Lift Equipped?										
☐ Ye			orwar					ot Applic					
Type	of Fuel:	Is B	us: 🗸	Distri	ct Owned	I _ C	ontractor Owned If co	ontractor ov	wned, con	tractor's	name	is:	
✓ G	as \square Diesel \square Other												
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect	tion is for	r:	1s	t semes	ster 2nd seme	ster					
_		Tv.	Appr			-	I 10 P 11	0. 1		Lv		roved	10
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					†	
C18	Head lamps					C18	Interior lamps					1	
C10	Color					C18							
C18	Turn signal lamps - front					C21	ů					<u> </u>	
C18	Turn signal lamps - side (post 1987)						C14 Floor				<u> </u>		
C18	Red amber signals - front Marker lamps - front					C9 C22	Aisle Storage					+	
C18	Windshield	1				C24	Ü			+			
C24	Windshield wipers	1				C13 Warning device							
C20	Exterior mirrors					C13 Buzzer emergency door		1					
C3	Battery					C12 Emergency door							
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear					+	
C20	Interior mirror					C19	Strobe light - rear ***					+	
C6	Speedometer	1				C17	Identification - rear					†	
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mi	n.)			<u> </u>	
C13	Fire extinguisher (5 lbs) First aid kit					C22	Cleanliness Stop arm					+	
C13	Body fluids kit					C5	No trailer hitch					+	
C11	Defroster					00	Required by forest r	equlation:				†	
C6	Heaters					Shovel (securely fastened)							
C20	Wheelchair forward facing (post 1993)					Axe (securely fastened)							
	umber reference, Standards for School Buses in out apply. ***New buses ordered after 08/15/02.**										driver.		
On first inspection, this bus is: Approved On reinspection, this bus is: Approved													
□ Not Approved □ Not Approved													
Inspecting Patrol Officer: Inspecting Patrol Officer				Inspe	Inspecting Patrol Officer:								
				Badge No Date									
oigna	ture of District Official					Date							



Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2006

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 17 Garfield Cohagen Elementary Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GBHG31R211239532 2001 76 16 Bus Type: (see ? for definition) Chassis Make Body Make ПА Пв ✓ C \Box D Other Other Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No.